

MATERIAL SAFETY DATA SHEET

Revision: 01.03.2019

1. Identification of the Substance / Company Details and Undertaking

Product Name: weberdeko putty

Application: Cement-based fine plastering

Company: Saint-Gobain Weber (Hong Kong) Building Material Co., Limited

Manufacturer Address: No. 7 Wang Lok Street,

Yuen Long Industrial Estate, Yuen Long, N.T. Hong Kong

 Telephone:
 852-2470-6625

 Fax:
 852-2479-4834

 Emergency Number:
 852-2470-6625

2. Composition / Information on Ingredients

| Ingredient | CAS Number | Risk Phrases |
|-------------------------------------|------------|-----------------|
| Portland Cement | 65997-15-1 | 36/37/38, 42/43 |
| Non-Reactive Aggregate, Graded Sand | 14808-60-7 | 36/37/38 |
| Non hazardous chemical additives | N/A | N/A |

Hazard Identification – Irritating to eyes, respiratory system and skin.



3. Physical and chemical properties

Appearance: Granulated powder

Colour: White
Odour: Odourless
pH: > 11
Boiling Point: None
Flash Point: None

Vapour Pressure:Not applicableAutoflammability:Not applicableWater Solubility:Partially soluble





4. First Aid Measures

Eye: While holding eyes open, gently flood with plenty of fresh water for 15 minutes.

If irritation persists or recurs, seek medical attention. Removal of contact lenses

after an eye injury should only be undertaken by skilled personnel.

Skin: Wash contacted area thoroughly with soap and water. Seek medical attention in

event of irritation and sensitization.

Inhalation: Remove from exposure. If feeling unwell, obtain medical attention.

Ingestion: DO NOT induce vomiting. Wash mouth with water and seek medical attention.

5. Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry powder or foam

Special Exposure Hazards: Irritant fumes

Special Protective Equipment: Self-contained breathing apparatus

6. Handling Precautions

Use in well-ventilated area. Avoid generating and inhaling dusts, and prolonged

skin exposure.

Storage: Store in cool, dry area

Occupational Exposure Limits

| Substance | 8 Hour TWA* | STEL* |
|---|---|----------------------|
| Portland Cement | | |
| Inhalable dust Respirable dust | 10 mg/m³ 4 mg/m³ | - |
| Non-Reactive Aggregate, Graded Sand | | |
| Inhalable dust Respirable dust *TWA – Time weighted average | - 0.1 mg/m³ *STEL – Short Term Exposu | - - ure Limits |

Personal Protection:

Eye: Goggles / Safety glasses

Hand: Impervious gloves

Respiratory: NIOSH approved or N95 equivalent dust mask

Clothing: Overalls, avoid direct exposure

Other: Use barrier creams to protect skin from contact with material. Always wash

hands before smoking, eating, drinking or conducting sanitary practice.

7. Stability and Reactivity

Stability: Stable

Conditions to Avoid: Exposure to air. Contamination with water **Incompatibility:** Strong acids, alkalis, and oxidizing agents





8. Toxicological Information

Health Effects:

On Eyes: Irritating and may injure eye tissue if not removed promptly

On Skin: Irritation. Chronic effects may cause both irritant and allergic contact

dermatitis. Prolonged skin contact can result in chemical burns.

By Inhalation: Irritating to respiratory system. Inflammation of the nasal mucous

membrane by exposure to cement dust

By Ingestion: May cause irritation of mouth, throat, and digestive tract.

9. Spills and Disposal Considerations

Disposal of unused, used, and packaging material must be in accordance with local and national legislation.

In case of spill and leaks, vacuum or sweep up. Avoid generating dust. Do not expose directly to material.

10. Transport Information

| 10.1 UN-Number ADR, IMDG, IATA | Void | |
|---|--------------------------------------|--|
| 10.2 UN proper shipping name | | |
| | Void | |
| ADR, IMDG, IATA | Void | |
| 10.3 Transport hazard class(es) | | |
| ADR | | |
| Class | - (-) | |
| IMDG | | |
| Class | Void | |
| Label | - | |
| IATA | | |
| Class | Void | |
| 10.4 Packing group | | |
| ADR, IMDG, IATA | Void | |
| 10.5 Environmental hazards: | Not applicable. | |
| 10.6 Special precautions for user | Not applicable. | |
| EMS Number: | - | |
| 10.7 Transport in bulk according to Annex II of | | |
| MARPOL73/78 and the IBC Code | Not applicable. | |
| - 44 1 114 11 6 41 | Not dangerous according to the above | |
| Transport/Additional information: | specifications. | |
| UN "Model Regulation": | UN-, - | |
| | - , | |

11. Regulatory Information

Hazardous Material Information System (HMIS)

Health: 1
Flammability: 0
Physical Hazard: 0
Personal Protective Equipment: E





12. Other Information

This MSDS summarize out best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. All information contained in this MSDS is as accurate and up-to-date as possible. No warranty expressed or implied is made as to its accuracy, reliability or completeness.

13. Preparation Information

Printed date: 5-Dec-19
Prepared date: 24-May-05

Revision date: N/A **Revision:** 01

