

MATERIAL SAFETY DATA SHEET

Revision: 01.03.2019

1. Identification of the Substance / Company Details and Undertaking

Product Name: weberset 393 (liquid part)
Application: Tile adhesive and tiling system
Company: Saint-Gobain Weber (Hong Kong) Building Material Co., Limited
Manufacturer Address: No. 7 Wang Lok Street,
Yuen Long Industrial Estate,
Yuen Long, N.T. Hong Kong
Telephone: 852-2866-9199
Fax: 852-2865-0321
Emergency Number: 852-2866-9199

2. Composition / Information on Ingredients

Ingredient	CAS Number	Risk Phrases
Carboxylated Styrene Butadiene Copolymer Latex	9003-55-8	None

Hazard Identification – None of the ingredients of this product are classified as hazardous.

3. Physical and chemical properties

Appearance: Milky White Liquid
Colour: White
Odour: Characteristic
pH: 9.0 – 11.0
Boiling Point: Approximate 100°C (water)
Melting Point: Approximate 0°C (water)
Flash Point: Not applicable
Vapour Pressure: Not applicable
Autoflammability: Not applicable
Water Solubility: Insoluble but miscible in all proportions

4. First Aid Measures

Eye: May cause temporary irritation. Wash off with plenty of clean water; seek medical attention if symptoms persist.
Skin: Skin irritation may be caused by direct and prolonged contact. Wash with water and soap carefully. Remove any soiled clothing.
Inhalation: Remove to fresh air from exposure. In severe cases seek medical attention.
Ingestion: Wash mouth with water and seek immediate medical attention.

5. Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry powder or foam, or water fog – Do not use water jets



Saint-Gobain Weber (Hong Kong) Building Material Co., Limited
聖戈班偉伯(香港)建材有限公司

Special Exposure Hazards: Material can splatter above 100°C. Polymer film may burn, and may cause irritant fumes.

Special Protective Equipment: Self-contained breathing apparatus

6. Handling Precautions

Usage: Use in well-ventilated area. Avoid direct skin and eye contact.

Storage: Protect from frost and direct sunlight. Store between +5°C and +35°C. Do not use storage vessels or pipe work made of aluminium, copper or its alloys.

Occupational Exposure Limits

None assigned.

Personal Protection:

Eye: Goggles / Safety glasses

Hand: Impervious gloves

Respiratory: In poor ventilation, e.g. inside storage tanks or when spraying without proper extraction, wear a suitable respirator.

Clothing: If there is risk of severe splashing, wear waterproof overalls.

Other: None specified

7. Stability and Reactivity

Stability: Stable

Conditions to Avoid: Temperatures below 2°C

Incompatibility: None known

8. Toxicological Information

Health Effects:

On Eyes: May cause transient irritation.

On Skin: Unlikely to irritate on brief or occasional exposure.

By Inhalation: Low volatility makes inhalation unlikely at ambient temperatures.

By Ingestion: Low order of acute toxicity. May cause irritation of mouth, throat and digestive tract.

9. Spills and Disposal Considerations

Disposal of unused, used, and packaging material must be in accordance with local and national legislation. Do not empty into drains, sewers or watercourses.

In case of spill and leaks, soak up with inert absorbent or contain and remove by best available means. Gather material into suitable containers.

10. Transport Information

10.1 UN-Number

ADR, IMDG, IATA Void

10.2 UN proper shipping name

ADR, IMDG, IATA Void

10.3 Transport hazard class(es)	
ADR	
Class	- (-)
IMDG	
Class	Void
Label	-
IATA	
Class	Void
10.4 Packing group	
ADR, IMDG, IATA	Void
10.5 Environmental hazards:	Not applicable.
10.6 Special precautions for user	Not applicable.
EMS Number:	-
10.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	UN-, -

11. Regulatory Information

Hazardous Material Information System (HMIS)

Health:	1
Flammability:	0
Physical Hazard:	0
Personal Protective Equipment:	E

12. Other Information

This MSDS summarize out best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products. All information contained in this MSDS is as accurate and up-to-date as possible. No warranty expressed or implied is made as to its accuracy, reliability or completeness.

13. Preparation Information

Printed date:	4-Dec-19		
Prepared date:	21-Dec-17		
Revision date:	N/A	Revision:	01